



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: CW-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED	LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
3-Sink 1 (LTR-standing in door) Outside 170	04/23/2019 9:32AM	1905-00101-001		<0.001	✓		05/09/19
4-Sink 2 (LTR-standing in door) Outside 170	04/23/2019 9:33AM	1905-00101-002		<0.001	✓		05/07/19
5-Sink 3 (LTR-standing in door) Outside 170	04/23/2019 9:34AM	1905-00101-003		0.0040	✓		05/07/19
6-Sink in Nurses Office 138	04/23/2019 9:39AM	1905-00101-004		<0.001	✓		05/07/19
7-Sink in Nurses Bathroom 138	04/23/2019 9:43AM	1905-00101-005		<0.001	✓		05/07/19
8-Sink in Guidance Mens 131	04/23/2019 9:43AM	1905-00101-006		<0.001	✓		05/07/19
9-Sink in Guidance Womens 132	04/23/2019 9:43AM	1905-00101-007		<0.001	✓		05/07/19
12-Sink 1 (LTR when facing) Womens Bath 145	04/23/2019 9:50AM	1905-00101-008		<0.001	✓		05/07/19
13-Sink 2 (LTR when facing) Womens Bath 145	04/23/2019 9:51AM	1905-00101-009		<0.001	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
4-Sink 2 (LTR-standing in door) Outside 170	04/23/2019	9:50AM	1905-00101-010		<0.001	✓		05/07/19
15-Sink 1 (LTR when facing) Mens Bath 144	04/23/2019	9:50AM	1905-00101-011		<0.001	✓		05/07/19
16-Sink 2 (LTR when facing) Mens Bath 144	04/23/2019	9:51AM	1905-00101-012		<0.001	✓		05/07/19
17-Sink 3 (LTR when facing) Mens Bath 144	04/23/2019	9:51AM	1905-00101-013		0.0011	✓		05/07/19
18-Sink 1 (LTR-standing in door) Home Ec 158	04/24/2019	8:40AM	1905-00101-014		<0.001	✓		05/07/19
19-Sink 2 (LTR-standing in door) Home Ec 158	04/24/2019	8:41AM	1905-00101-015		<0.001	✓		05/07/19
20-Sink 3 (LTR-standing in door) Home Ec 158	04/25/2019	6:06AM	1905-00101-016		<0.001	✓		05/07/19
21-Sink 4 (LTR-standing in door) Home Ec 158	04/25/2019	6:07AM	1905-00101-017		<0.001	✓		05/07/19
22-Sink 5 (LTR-standing in door) Home Ec 158	04/25/2019	6:06AM	1905-00101-018		<0.001	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED	LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
23-Refrigerator in Home Ec 158	04/24/2019 8:39AM	1905-00101-019		<0.001	✓		05/07/19
24-Sink in Art Room Storage 163	04/23/2019 10:04AM	1905-00101-020		0.0016	✓		05/07/19
25-Sink 1 (LTR-standing in door) Art Room 163	04/23/2019 10:03AM	1905-00101-021		0.0345	✗		05/09/19
26-Sink 2 (LTR-standing in door) Art Room 163	04/23/2019 10:05AM	1905-00101-022		0.0011	✓		05/07/19
28-Mens Bathroom Main Office	04/23/2019 9:57AM	1905-00101-023		<0.001	✓		05/07/19
29-Womens Bathroom Main Ofice	04/23/2019 9:57AM	1905-00101-024		<0.001	✓		05/07/19
30-Bubbler in Girls Locker Room	04/25/2019 5:54AM	1905-00101-025		<0.001	✓		05/07/19
31-Bubbler in Boys Locker Room	04/25/2019 5:56AM	1905-00101-026		<0.001	✓		05/07/19
32-Bubbler in AD Hallway	04/25/2019 5:48AM	1905-00101-027		<0.001	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
35-Room 302 Science Office	04/25/2019	5:58AM	1905-00101-028		0.0065	✓		05/07/19
36-Bubbler 1 Outside 202 (LTR when facing)	04/23/2019	8:42AM	1905-00101-029		0.0056	✓		05/07/19
37-Bubbler 2 Outside 202 (LTR when facing)	04/23/2019	8:41AM	1905-00101-030		0.0015	✓		05/07/19
40-Bubbler 1 Outside Café (LTR when facing)	04/23/2019	8:32AM	1905-00101-031		<0.001	✓		05/07/19
41-Bubbler 2 Outside Café (LTR when facing)	04/23/2019	8:31AM	1905-00101-032		<0.001	✓		05/07/19
42-Bubbler 1 Outside 221 (LTR when facing)	04/23/2019	8:35AM	1905-00101-033		0.0088	✓		05/07/19
43-Bubbler 1 Outside 221 (LTR when facing)	04/23/2019	8:35AM	1905-00101-034		0.0015	✓		05/07/19
44-Sink 1 Mens Bath 237 (LTR when facing)	04/23/2019	7:56AM	1905-00101-035		<0.001	✓		05/07/19
45-Sink 2 Mens Bath 237 (LTR when facing)	04/23/2019	7:57AM	1905-00101-036		<0.001	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED	LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
46-Sink 3 Mens Bath 237 (LTR when facing)	04/23/2019 7:57AM	1905-00101-037		<0.001	✓		05/07/19
47-Sink 4 Mens Bath 237 (LTR when facing)	04/23/2019 7:58AM	1905-00101-038		0.115	✗		05/09/19
48-Sink 1 Womens Bath 236 (LTR when facing)	04/23/2019 7:58AM	1905-00101-039		<0.001	✓		05/07/19
49-Sink 2 Womens Bath 236 (LTR when facing)	04/23/2019 7:58AM	1905-00101-040		<0.001	✓		05/07/19
50-Sink 3 Womens Bath 236 (LTR when facing)	04/23/2019 7:58AM	1905-00101-041		<0.001	✓		05/07/19
51-Sink 4 Womens Bath 236 (LTR when facing)	04/23/2019 7:59AM	1905-00101-042		<0.001	✓		05/07/19
52-Sink 1 Kitchen (LTR standing in door from café)	04/23/2019 8:18AM	1905-00101-043		0.0019	✓		05/07/19
53-Sink 2 Kitchen (LTR standing in door from café)	04/23/2019 8:19AM	1905-00101-044		0.0013	✓		05/07/19
54-Sink 3 Kitchen (LTR standing in door from café)	04/23/2019 8:21AM	1905-00101-045		0.0013	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
55-Sink 4 Kitchen (LTR standing in door from café)	04/23/2019	8:21AM	1905-00101-046		0.0011	✓		05/07/19
56-Sink 5 Kitchen (LTR standing in door from café)	04/23/2019	8:22AM	1905-00101-047		0.0016	✓		05/07/19
57-Sink 6 Kitchen (LTR standing in door from café)	04/23/2019	8:23AM	1905-00101-048		0.0011	✓		05/07/19
58-Sink in Boys Room 270	04/23/2019	8:46AM	1905-00101-049		<0.001	✓		05/07/19
59-Sink in Womens Room 270	04/23/2019	8:46AM	1905-00101-050		0.0012	✓		05/07/19
60-Sink in Kitchen 270	04/23/2019	8:46AM	1905-00101-051		<0.001	✓		05/07/19
61-Sink in Kitchen 249	04/23/2019	8:06AM	1905-00101-052		<0.001	✓		05/07/19
62-Sink in Bathroom 249	04/23/2019	8:07AM	1905-00101-053		<0.001	✓		05/07/19
63-Bubbler in Hallway 249	04/23/2019	8:06AM	1905-00101-054		<0.001	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
64-Sink in Mens Room 229	04/23/2019	7:50AM	1905-00101-055		0.0011	✓		05/07/19
65-Sink in Kitchen 229	04/23/2019	7:51AM	1905-00101-056		<0.001	✓		05/07/19
66-Sink in Womens Room 229	04/23/2019	7:52AM	1905-00101-057		<0.001	✓		05/07/19
67-Sink 1/Lab 301 (LTR-standing in door)	04/23/2019	6:24AM	1905-00101-058		0.0050	✓		05/07/19
68-Sink 2/Lab 301 (LTR-standing in door)	04/23/2019	6:25AM	1905-00101-059		0.0041	✓		05/07/19
69-Sink 3/Lab 301 (LTR-standing in door)	04/23/2019	6:24AM	1905-00101-060		0.0123	✓		05/07/19
70-Sink 1/Lab 304 (LTR-standing in door)	04/23/2019	6:30AM	1905-00101-061		0.0044	✓		05/07/19
71-Sink 2/Lab 304 (LTR-standing in door)	04/23/2019	6:31AM	1905-00101-062		0.0067	✓		05/07/19
72-Sink 3/Lab 304 (LTR-standing in door)	04/23/2019	6:30AM	1905-00101-063		0.0078	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
73-Sink 4/Lab 304 (LTR-standing in door)	04/23/2019	6:32AM	1905-00101-064		0.0076	✓		05/07/19
74-Sink 4/Lab 304 (LTR-standing in door)	04/23/2019	6:32AM	1905-00101-065		0.0040	✓		05/07/19
75-Sink 6/Lab 304 (LTR-standing in door)	04/23/2019	6:32AM	1905-00101-066		0.0095	✓		05/07/19
76-Sink 7/Lab 304 (LTR-standing in door)	04/23/2019	6:33AM	1905-00101-067		0.0067	✓		05/07/19
77-Sink 1/Lab 307 (LTR-standing in door)	04/23/2019	6:36AM	1905-00101-068		0.0083	✓		05/07/19
78-Sink 2/Lab 307 (LTR-standing in door)	04/23/2019	6:36AM	1905-00101-069		0.0059	✓		05/07/19
79-Sink 3/Lab 307 (LTR-standing in door)	04/23/2019	6:37AM	1905-00101-070		0.0057	✓		05/07/19
80-Sink 4/Lab 307 (LTR-standing in door)	04/23/2019	6:38AM	1905-00101-071		0.0058	✓		05/07/19
81-Sink 5/Lab 307 (LTR-standing in door)	04/23/2019	6:37AM	1905-00101-072		0.0070	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
82-Sink 6/Lab 307 (LTR-standing in door)	04/23/2019	6:37AM	1905-00101-073		0.0054	✓		05/07/19
83-Sink 7/Lab 307 (LTR-standing in door)	04/23/2019	6:37AM	1905-00101-074		0.0055	✓		05/07/19
84-Sink 8/Lab 307 (LTR-standing in door)	04/23/2019	6:44AM	1905-00101-075		0.0044	✓		05/07/19
85-Sink 1/Lab 309 (LTR-standing in door)	04/23/2019	6:46AM	1905-00101-076		0.0070	✓		05/07/19
86-Sink 2/Lab 309 (LTR-standing in door)	04/23/2019	6:46AM	1905-00101-077		0.0064	✓		05/07/19
87-Sink 3/Lab 309 (LTR-standing in door)	04/23/2019	6:48AM	1905-00101-078		0.0091	✓		05/07/19
88-Sink 4/Lab 309 (LTR-standing in door)	04/23/2019	6:48AM	1905-00101-079		0.0076	✓		05/13/19
89-Sink 5/Lab 309 (LTR-standing in door)	04/23/2019	6:47AM	1905-00101-080		0.0084	✓		05/07/19
90-Sink 6/Lab 309 (LTR-standing in door)	04/23/2019	6:47AM	1905-00101-081		0.0050	✓		05/07/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD:

CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
91-Sink 7/Lab 309 (LTR-standing in door)	04/23/2019	6:48AM	1905-00101-082		0.0089	✓		05/07/19
92-Sink 1/Lab 371 (LTR-standing in door)	04/23/2019	7:22AM	1905-00101-083		0.0067	✓		05/07/19
93-Sink 2/Lab 371 (LTR-standing in door)	04/23/2019	7:22AM	1905-00101-084		0.0066	✓		05/07/19
94-Sink 3/Lab 371 (LTR-standing in door)	04/23/2019	7:23AM	1905-00101-085		0.0062	✓		05/07/19
95-Sink 4/Lab 371 (LTR-standing in door)	04/23/2019	7:24AM	1905-00101-086		0.0071	✓		05/07/19
96-Sink 5/Lab 371 (LTR-standing in door)	04/23/2019	7:24AM	1905-00101-087		0.0074	✓		05/07/19
97-Sink 6/Lab 371 (LTR-standing in door)	04/23/2019	7:23AM	1905-00101-088		0.0079	✓		05/07/19
98-Sink 7/Lab 371 (LTR-standing in door)	04/23/2019	7:22AM	1905-00101-089		0.0199	✗		05/07/19
99-Sink 8/Lab 371 (LTR-standing in door)	04/23/2019	7:34AM	1905-00101-090		0.303	✗		05/13/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
100-Sink 1/373 (LTR-standing in door)	04/23/2019	7:29AM	1905-00101-091		0.0101	✓		05/07/19
101-Sink 2/373 (LTR-standing in door)	04/23/2019	7:32AM	1905-00101-092		0.0940	✗		05/13/19
102-Sink 3/373 (LTR-standing in door)	04/23/2019	7:30AM	1905-00101-093		0.0012	✓		05/07/19
103-Sink 4/373 (LTR-standing in door)	04/23/2019	7:30AM	1905-00101-094		0.0011	✓		05/08/19
104-Sink 5/373 (LTR-standing in door)	04/23/2019	7:31AM	1905-00101-095		0.0012	✓		05/08/19
105-Sink 6/373 (LTR-standing in door)	04/23/2019	7:31AM	1905-00101-096		0.0010	✓		05/08/19
106-Sink 7/373 (LTR-standing in door)	04/23/2019	7:31AM	1905-00101-097		<0.001	✓		05/08/19
107-Sink 8/373 (LTR-standing in door)	04/23/2019	7:31AM	1905-00101-098		0.0010	✓		05/08/19
108-Sink 1/374 (LTR-standing in door)	04/23/2019	7:42AM	1905-00101-099		0.0014	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED	LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
109-Sink 2/374 (LTR-standing in door)	04/23/2019 7:42AM	1905-00101-100		0.0016	✓		05/08/19
110-Sink 3/374 (LTR-standing in door)	04/23/2019 7:41AM	1905-00101-101		0.0020	✓		05/08/19
111-Sink 4/374 (LTR-standing in door)	04/23/2019 7:42AM	1905-00101-102		0.0018	✓		05/08/19
112-Sink 5//374 (LTR-standing in door)	04/23/2019 7:41AM	1905-00101-103		0.0026	✓		05/08/19
113-Sink 5/374 (LTR-standing in door)	04/23/2019 7:43AM	1905-00101-104		0.0020	✓		05/08/19
114-Sink 6/374 (LTR-standing in door)	04/23/2019 7:44AM	1905-00101-105		0.0015	✓		05/08/19
115-Bubbler 1 Outside 304 (LTR facing bubbler)	04/25/2019 6:02AM	1905-00101-106		<0.001	✓		05/08/19
117-Bubbler 1 Outside 323 (LTR facing bubbler)	04/23/2019 6:53AM	1905-00101-107		<0.001	✓		05/08/19
118-Bubbler 2 Outside 323 (LTR facing bubbler)	04/23/2019 6:15AM	1905-00101-108		0.0012	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
119-Bubbler 1 Outside 356 (LTR facing bubbler)	04/23/2019	4:17PM	1905-00101-109		<0.001	✓		05/08/19
120-Bubbler 2 Outside 356 (LTR facing bubbler)	04/23/2019	6:03AM	1905-00101-110		<0.001	✓		05/08/19
121-Sink 1 Womens Bath 315 (LTR facing sink)	04/23/2019	6:03AM	1905-00101-111		<0.001	✓		05/08/19
122-Sink 2 Girls Room 315 (LTR facing sink)	04/23/2019	6:21AM	1905-00101-112		<0.001	✓		05/08/19
123-Sink 3 Womens Bath 315 (LTR facing sinks)	04/23/2019	6:21AM	1905-00101-113		<0.001	✓		05/08/19
124-Sink 1 Boys Bath 313 (LTR facing sinks)	04/23/2019	6:21AM	1905-00101-114		<0.001	✓		05/08/19
125-Sink 2 Boys Bath 313 (LTR facing sinks)	04/23/2019	6:20AM	1905-00101-115		<0.001	✓		05/08/19
126-Sink 3 Boys Bath 313 (LTR facing sinks)	04/23/2019	6:22AM	1905-00101-116		<0.001	✓		05/08/19
127-Sink 1 Mens Bath 333 (LTR facing sinks)	04/23/2019	6:22AM	1905-00101-117		<0.001	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
128-Sink 2 Mens Bath 333 (LTR facing sinks)	04/23/2019	6:10AM	1905-00101-118		<0.001	✓		05/08/19
129-Sink 3 Mens Bath 333 (LTR facing sinks)	04/23/2019	6:11AM	1905-00101-119		<0.001	✓		05/08/19
130-Sink 4 Mens Bath 333 (LTR facing sinks)	04/23/2019	6:11AM	1905-00101-120		<0.001	✓		05/08/19
131-Sink 1 Womens Bath 335 (LTR facing sinks)	04/23/2019	6:05AM	1905-00101-121		<0.001	✓		05/08/19
132-Sink 2 Womens Bath 335 (LTR facing sinks)	04/23/2019	6:05AM	1905-00101-122		<0.001	✓		05/08/19
133-Sink 3 Womens Bath 335 (LTR facing sinks)	04/23/2019	6:05AM	1905-00101-123		<0.001	✓		05/08/19
134-Sink 4 Womens Bath 335 (LTR facing sinks)	04/23/2019	6:05AM	1905-00101-124		<0.001	✓		05/08/19
135-Sink in 329	04/23/2019	6:14AM	1905-00101-125		0.0011	✓		05/08/19
136-Sink 1 Boys Locker Room (LTR facing sinks)	04/23/2019	6:14AM	1905-00101-126		<0.001	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
137-Sink 2 Boys Locker Room (LTR facing sinks)	04/23/2019	6:14AM	1905-00101-127		<0.001	✓		05/08/19
138-Sink in PE office	04/23/2019	5:49AM	1905-00101-128		<0.001	✓		05/08/19
139-Sink 1 in Girls Locker Room (LTR facing sinks)	04/23/2019	5:44AM	1905-00101-129		<0.001	✓		05/08/19
140-Sink 2 in Girls Locker Room (LTR facing sinks)	04/23/2019	5:44AM	1905-00101-130		<0.001	✓		05/08/19
141-Sink in PE Office	04/23/2019	5:44AM	1905-00101-131		0.0010	✓		05/08/19
142-Sink in Girls Weight Room	04/23/2019	5:40AM	1905-00101-132		<0.001	✓		05/08/19
143-Sink in Boys Wight Room	04/23/2019	5:40AM	1905-00101-133		<0.001	✓		05/08/19
144-Bub 1/Weight Room (LTR-facing from mini gym)	04/25/2019	5:43AM	1905-00101-134		<0.001	✓		05/08/19
145-Bub 2/Weight Room (LTR-facing from mini gym)	04/25/2019	5:43AM	1905-00101-135		<0.001	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION	DATE/TIME COLLECTED	LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
146-Sink in Stand in Gym Lobby	04/23/2019 5:55AM	1905-00101-136		0.0033	✓		05/08/19
147-Sink 1 in AD Bath/Womens (LTR-facing sinks)	04/23/2019 5:56AM	1905-00101-137		<0.001	✓		05/08/19
148-Sink 2 in AD Bath/Womens (LTR-facing sinks)	04/23/2019 5:56AM	1905-00101-138		<0.001	✓		05/08/19
149-Sink 1 in AD Bath/Mens (LTR-facing sinks)	04/23/2019 6:00AM	1905-00101-139		<0.001	✓		05/08/19
150-Sin k2 in AD Bath/Mens (LTR-facing sinks)	04/23/2019 6:00AM	1905-00101-140		<0.001	✓		05/08/19
151-Dance Room Sink	04/23/2019 6:01AM	1905-00101-141		0.0013	✓		05/08/19
152-Bubbler 1 Left Near 227	04/23/2019 8:50AM	1905-00101-142		<0.001	✓		05/08/19
153-Bubbler 2 Right Near 227	04/23/2019 8:50AM	1905-00101-143		<0.001	✓		05/08/19
154-Boys Room 278 Left	04/23/2019 8:55AM	1905-00101-144		<0.001	✓		05/08/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC



GRANITE STATE

ANALYTICAL SERVICES, LLC.

22 Manchester Road, Unit 2, Derry, NH 03038

Phone: (800) 699-9920 | (603) 432-3044

website: www.granitestateanalytical.com

DATE PRINTED: 05/13/2019

LEAD RESULTS

LAB ID#: 1015

COMPLIANCE PERIOD: CHEMICAL RESULTS FOR THE QUARTER 2019

SYSTEM NAME: Hollis Brookline HS

SYSTEM TOWN: Hollis

SAMPLE CATEGORY: Routine Sample

SAMPLING AGENT: Hollis Brookline HS

SAMPLE AGENT #:

RECEIPT TEMP: 19.2° CELSIUS

Legend	
Passes	✓
Fails EPA Primary	✗
Fails EPA Secondary	⚠
Fails State Guideline	✗
Attention	⚠

EPA ID #: 1175050

WATER SYSTEM TYPE: Non-Transient, Non-Community

TEST UNITS: mg/L ANALYST: JLR-NH

METHOD: EPA 200.8

MCL: 0.015 mg/L

MDL (RL): 0.001 mg/L

DATE & TIME RECEIVED: 04/29/2019 11:34AM

SAMPLE LOCATION

	DATE/TIME COLLECTED		LABORATORY SAMPLE ID#	CLIENT JOB #	LEAD *	Pass /Fail	DQ	DATE ANALYZED
155-Boys Room 278 Right	04/23/2019	8:55AM	1905-00101-145		<0.001	✓		05/08/19
156-Girls room 279 Left	04/23/2019	8:57AM	1905-00101-146		<0.001	✓		05/08/19
157-Girls Room 279 Right	04/23/2019	8:57AM	1905-00101-147		<0.001	✓		05/08/19
158-Room 170 4th Faucet	04/23/2019	9:36AM	1905-00101-148		0.0028	✓		05/09/19
159-2nd Fl Kitchen Bath	04/23/2019	8:19AM	1905-00101-149		<0.001	✓		05/09/19
160-Room 212 Library	04/23/2019	8:38AM	1905-00101-150		<0.001	✓		05/09/19
151-Dance Room Sink	04/23/2019	7:41AM	1905-00101-151		0.0063	✓		05/09/19
152-Bubbler 1 Left Near 227	04/23/2019	8:25AM	1905-00101-152		0.0335	✗		05/09/19
163-Snack Sink in Café	04/23/2019	8:26AM	1905-00101-153		0.0358	✗		05/09/19

The results presented in this report relate to the samples listed above in the condition in which they were received.
RL: "Reporting limit" means the lowest level of an analyte that can be accurately recovered from the matrix of interest.

Data Qualifier (DQ) Flags: None

Note: partial report

* NELAP Accredited Analysis



Donald A. D'Anjou, Ph. D.
Laboratory Director

This analysis meets NELAP requirements except as noted.

State Certifications: | NH 1015 | MA M-NH003 | ME NH00003 | RI 101513 | VT VT-101507 |

This certificate shall not be reproduced, except in full, without the written approval of Granite State Analytical Services, LLC